



## FACTORY VENTILATION OUTLET - B SERIES



### DESCRIPTION

- Model FVO is intended for spot cooling or heating of individual work stations. Unit is easily adjustable to meet changing work conditions or individual comfort preferences.

### ADJUSTABILITY

#### Pattern Control Operation

- Doors open - open jet, full velocity.
- Doors partially closed - wider pattern, reduced velocity.
- Doors closed - wide angle hollow cone pattern, lowest velocity.

#### Damper

- Volume damper included.

MODEL	INLET D DIA.	DISCHARGE D DIA.	H	P	PERF AREA (IN <sup>2</sup> )	PERF FREE AREA (IN <sup>2</sup> )
FVO-06-B	6	6	11-1/2	4	70	28
FVO-08-B	8	8	13-1/2	5	125	50
FVO-10-B	10	10	14-1/2	6	200	79
FVO-12-B	12	12	15-1/2	8	290	115
FVO-14-B	14	14	18	9	390	155
FVO-16-B	16	16	19	10	500	202
FVO-18-B	18	18	20	11	640	255
FVO-20-B	20	20	21	13	820	325
FVO-22-B	22	22	23	14	970	385
FVO-24-B	24	24	25	15	1130	460
FVO-26-B	26	26	26	16	1307	523
FVO-28-B	28	28	27	17	1495	598

(Inches measured to the nearest 1/16")

### STANDARD MATERIAL

- Heavy Gauge Steel

### OPTIONAL MATERIAL

- Stainless Steel #304
- Stainless Steel #316

### NOTES

- Mounting Screws Included
- Custom Sizes Available

### STANDARD FINISHES

- #72 silver metallic powder coat

PROJECT :	<h2>FVO-B SERIES</h2> <p>FACTORY VENTILATION OUTLET - A SERIES</p>	
ARCHITECT :		
ENGINEER :		
CONTRACTOR :		
SUBMITTED BY :	DATE :	FORM # : 40031S
		DRAWN BY : MH JANUARY 2002